



We put gas springs
in movement



Easy **R**elease **M**odular **S**ystem

ERMS







Felix-Wankel-Strasse 8-10
D - 74915 Waibstadt
Germany

E-mail
Internet
Phone
Fax

info@awp-gmbh.com
www.awp-gmbh.com
+49 (0) 7263 40971-0
+49 (0) 7263 40971-29

EXTERNAL PUSHBUTTONS PICTURE OVERVIEW




EXTERNAL PUSHBUTTONS

EXTERNAL PUSHBUTTONS OVERVIEW


installation dimensions : [see page 5](#)
material casing/pushbutton : aluminium/plastic
exclusive model : aluminium/aluminium
colour of casing : anodized aluminium
black or natural,
more colours on request
colour of pushbutton : black, red, white
more colours on request
exclusive model : anodized aluminium
black or natural,
more colours on request
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force
on pushbutton : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: ABT-202013H



installation dimensions : [see page 6](#)
material casing/pushbutton : aluminium/plastic
exclusive model : aluminium/aluminium
colour of casing : anodized aluminium
black or natural,
more colours on request
colour of pushbutton : black, red, white
more colours on request
exclusive model : anodized aluminium
black or natural,
more colours on request
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force
on pushbutton : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: ABT-202030P



EXTERNAL PUSHBUTTONS OVERVIEW


installation dimensions : [see page 7](#)
 material casing/pushbutton : aluminium/plastic
 exclusive model : aluminium/aluminium
 colour of casing : anodized aluminium
 black or natural,
 more colours on request

 colour of pushbutton : black, red, white
 more colours on request

 exclusive model : anodized aluminium
 black or natural,
 more colours on request

 distance to actuate : 11 mm
 transmission : 1:1
 controllable gas springs : 1
 max. cable force :
 on pushbutton : 800 gramme
 length of bowden wire : 25/50/75/100/125/150 cm

order description: ABT-303024F



installation dimensions : [see page 8](#)
 material casing/pushbutton : aluminium/plastic
 exclusive model : aluminium/aluminium
 colour of casing : anodized aluminium
 black or natural,
 more colours on request

 colour of pushbutton : black, red, white
 more colours on request

 exclusive model : anodized aluminium
 black or natural,
 more colours on request

 distance to actuate : 11 mm
 transmission : 1:1
 controllable gas springs : 1
 max. cable force :
 on pushbutton : 800 gramme
 length of bowden wire : 25/50/75/100/125/150 cm

order description: ABT-303024HH




installation dimensions : [see page 9](#)
 material casing/pushbutton : aluminium/plastic
 exclusive model : aluminium/aluminium
 colour of casing : anodized aluminium
 black or natural,
 more colours on request

 colour of pushbutton : black, red, white
 more colours on request


 exclusive model : anodized aluminium
 black or natural,
 more colours on request

 distance to actuate : 11 mm
 transmission : 1:1
 controllable gas springs : 1
 max. cable force :
 on pushbutton : 800 gramme
 length of bowden wire : 25/50/75/100/125/150 cm

order description: ABT-303024H




MOUNTING DIMENSIONS ABT-202013H




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS ABT-202030P




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS ABT-303024F




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS ABT-303024HH



dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS ABT-303024H



dimensions in mm / we reserve the right to make modifications